



MDS I

General information

Application date Jan 19, 2024

Applicant contact information John Martin J-Fab Dundalk , ON Municipal file number

Location of subject lands County of Grey Township of Southgate PROTON Concession 4 , Lot 38 Roll number: 420709000704800 Proposed application

Lot creation for an agricultural use (e.g. farm split)

Joseph M 327591

Farm contact information



barn on retained parcel

Location of existing livestock facility or anaerobic digestor

County of Grey Township of Southgate PROTON

Concession 4, Lot 38

Roll number: 420709000704800

Total lot size 20 ha

Livestock/manure summary

Manure Form	Type of livestock/manure	Existing maximum number	Existing maximum number (NU)	Estimated livestock barn area
Solid	Beef, Backgrounders (7 - 12.5 months), Confinement	80	26.7 NU	297 m²
Solid	Horses, Medium-framed, mature; 227 - 680 kg (including unweaned offspring)	4	4 NU	93 m²

Setback summary

Existing manure storage

V2. Solid, outside, covered

Design capacity

30.7 NU

Potential design capacity

61.3 NU

Factor A (odour potential) Factor D (manure type)

0.79 0.7

Factor B (design capacity) 281.2 Factor E (encroaching land use)

1.1

Building base distance 'F' (A x B x D x E)

(minimum distance from livestock barn)

Actual distance from livestock barn

Storage base distance 'S'

(minimum distance from manure storage)

Actual distance from manure storage

172 m (564 ft)

242 m (794 ft)

172 m (564 ft)

242 m (794 ft)

Preparer signoff & disclaimer

Preparer contact information SOLOMON MARTIN Kingwood Industries Inc. 1730 CHALMERS FORREST RD, RR#2 RR#2 Wellesley, ON N0B 2T0 519-656-9380 kingwoodplating@live.ca

Signature of preparer

Solomon Martin	01-18-2024	
SOLOMON MARTIN	Date (mmm-dd-yyyy)	

Note to the user

The Ontario Ministry of Agriculture, Food and Rural Affairs (OMAFRA) has developed this software program for distribution and use with the Minimum Distance Separation (MDS) Formulae as a public service to assist farmers, consultants, and the general public. This version of the software distributed by OMAFRA will be considered to be the official version for purposes of calculating MDS. OMAFRA is not responsible for errors due to inaccurate or incorrect data or information; mistakes in calculation; errors arising out of modification of the software, or errors arising out of incorrect inputting of data. All data and calculations should be verified before acting on them.

© King's Printer for Ontario, 2012-24